Tire Science and Technology
Index to Volume 21
1993

Number	Months	Pages
1	Jan.–Mar.	1–64
2	Apr.–Jun.	65–136
3	Jul.–Sep.	137–200
4	Oct.–Dec.	201–265

A

Abrasion
  Uneven wear of vehicle tires (Walters), Oct.–Dec., 202
Acoustic intensity
  Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima, Inoue, and Ogawa), Apr.–Jun., 66
Aircraft tires
  Spinup wear in aircraft tires (Padovan, Padovan, and Kazempour), Jul.–Sep., 138
Akasaka, T., Kagami, S., and Yamazaki, S.: Deformation analysis of a radial tire loaded on a crossbar, Jan.–Mar., 40
Andrews, M: *see* Gall, R., Tkacik, P., and Andrews, M.

B

Balance
  A mathematical model for tire/wheel assembly balance (Ni), Oct.–Dec., 220
Bass, J. M.: *see* Yavari, B., Tworzydlo, W. W., and Bass, J. M.
Belt construction
  Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Boundary element method
  Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima, Inoue, and Ogawa), Apr.–Jun., 66
Braking
  Normalization of tire force and moment data (Radt and Glemming), Apr.–Jun., 91

C

Charek, L. T.: *see* Scavuzzo, R. W., Richards, T. R., and Charek, L. T.
Computational strategies
  Reduced basis technique for evaluating sensitivity derivatives of the nonlinear response of the space shuttle orbiter nose-gear tire (Noor, Tanner, and Peters), Oct.–Dec., 232
Contact
  On the incorporation of frictional effects in the tire/ground contact area (Gall, Tkacik, and Andrews), Jan.–Mar., 2

Tire Science and Technology
Index to Volume 21
1993

Number	Months	Pages
1	Jan.–Mar.	1–64
2	Apr.–Jun.	65–136
3	Jul.–Sep.	137–200
4	Oct.–Dec.	201–265

A

Abrasion
  Uneven wear of vehicle tires (Walters), Oct.–Dec., 202
Acoustic intensity
  Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima, Inoue, and Ogawa), Apr.–Jun., 66
Aircraft tires
  Spinup wear in aircraft tires (Padovan, Padovan, and Kazempour), Jul.–Sep., 138
Akasaka, T., Kagami, S., and Yamazaki, S.: Deformation analysis of a radial tire loaded on a crossbar, Jan.–Mar., 40
Andrews, M: *see* Gall, R., Tkacik, P., and Andrews, M.

B

Balance
  A mathematical model for tire/wheel assembly balance (Ni), Oct.–Dec., 220
Bass, J. M.: *see* Yavari, B., Tworzydlo, W. W., and Bass, J. M.
Belt construction
  Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Boundary element method
  Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima, Inoue, and Ogawa), Apr.–Jun., 66
Braking
  Normalization of tire force and moment data (Radt and Glemming), Apr.–Jun., 91

C

Charek, L. T.: *see* Scavuzzo, R. W., Richards, T. R., and Charek, L. T.
Computational strategies
  Reduced basis technique for evaluating sensitivity derivatives of the nonlinear response of the space shuttle orbiter nose-gear tire (Noor, Tanner, and Peters), Oct.–Dec., 232
Contact
  On the incorporation of frictional effects in the tire/ground contact area (Gall, Tkacik, and Andrews), Jan.–Mar., 2

D

Danik, J. A.: *see* Johnson, A. R., Quigley, C. J., Young, D. G., and Danik, J. A.

E

Enveloping property
  Deformation analysis of a radial tire loaded on a crossbar (Akasaka, Kagami, and Yamazaki), Jan.–Mar., 40

F

Finite element analysis
  Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima, Inoue, and Ogawa), Apr.–Jun., 66
  A thermomechanical model to predict the temperature distribution of steady state rolling tires (Yavari, Tworzydlo, and Bass), Jul.–Sep., 163
  Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
  On the incorporation of frictional effects in the tire/ground contact area (Gall, Tkacik, and Andrews), Jan.–Mar., 2
  Reduced basis technique for evaluating sensitivity derivatives of the nonlinear response of the space shuttle orbiter nose-gear tire (Noor, Tanner, and Peters), Oct.–Dec., 232
  Uneven wear of vehicle tires (Walters), Oct.–Dec., 202
Folded aramid belt
  Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Force and moment
  Normalization of tire force and moment data (Radt and Glemming), Apr.–Jun., 91
Friction
  Normalization of tire force and moment data (Radt and Glemming), Apr.–Jun., 91
  On the incorporation of frictional effects in the tire/ground contact area (Gall, Tkacik, and Andrews), Jan.–Mar., 2
  Uneven wear of vehicle tires (Walters), Oct.–Dec., 202

G

Gall, R., Tkacik, P., and Andrews, M.: On the incorporation of frictional effects in the tire/ground contact area, Jan.–Mar., 2
Glemming, D. A.: *see* Radt, H. S. and Glemming D. A.

H

Helmholtz equation
  Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima, Inoue, and Ogawa), Apr.–Jun., 66

High speed endurance
Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Hyperelasticity
Viscohyperelastic modeling of rubber vulcanizates (Johnson, Quigley, Young, and Danik), Jul.–Sep., 179

I

Inoue, Y: *see* Nakajima. Y., Inoue, Y., and Ogawa, H.

J

Johnson, A. R., Quigley, C. J., Young, D. G., and Danik, J. A.: Viscohyperelastic modeling of rubber vulcanizates, Jul.–Sep., 179.

K

Kagami, S.: *see* Akasaka, T., Kagami, S., and Yamazaki, S.
Kazempour, A.: *see* Padovan, J., Padovan, P., and Kazempour, A.

L

Lateral force
Normalization of tire force and moment data (Radt and Glemming), Apr.–Jun., 91

M

Modal analysis
Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima. Inoue, and Ogawa), Apr.–Jun., 66

N

Nakajima, Y., Inoue, Y., and Ogawa, H.: Application of the boundary element method and modal analysis to tire acoustics problems, Apr.–Jun., 66
Ni, E. J.: A mathematical model for tire/wheel assembly balance, Oct.–Dec., 220
Nonlinear forces
Normalization of tire force and moment data (Radt and Glemming), Apr.–Jun., 91
Nonuniformity
A mathematical model for tire/wheel assembly balance (Ni), Oct.–Dec., 220
Noor, A. K., Tanner, J. A., and Peters, J. M.: Reduced basis technique for evaluating sensitivity derivatives of the nonlinear response of the space shuttle orbiter nose-gear tire, Oct.–Dec., 232

O

Ogawa, H.: *see* Nakajima. Y., Inoue, Y., and Ogawa, H.

P

Padovan, J., Padovan, P., and Kazempour, A.: Spinup wear in aircraft tires, Jul.–Sep., 138
Padovan, P.: *see* Padovan, J., Padovan, P., and Kazempour, A.

Peters, J. M.: *see* Noor, A. K., Tanner, J. A., and Peters, J. M.
Power loss
A thermomechanical model to predict the temperature distribution of steady state rolling tires (Yavari, Tworzydlo, and Bass), Jul.–Sep., 163

Q

Quigley, C. J.: *see* Johnson, A. R., Quigley, C. J., Young, D. G., and Danik, J. A.

R

Radt, H. S. and Glemming D. A.: Normalization of tire force and moment data, Apr.–Jun., 91
Rayleigh damping
Application of the boundary element method and modal analysis to tire acoustics problems (Nakajima, Inoue, and Ogawa), Apr.–Jun., 66
Richards, T. R.: *see* Scavuzzo, R. W., Richards, T. R., and Charek, L. T.
Ride comfort
Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Ring model
Deformation analysis of a radial tire loaded on a crossbar (Akasaka, Kagami, and Yamazaki), Jan.–Mar., 40
Rolling resistance
Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Rubber
Viscohyperelastic modeling of rubber vulcanizates (Johnson, Quigley, Young, and Danik), Jul.–Sep., 179
Runout
A mathematical model for tire/wheel assembly balance (Ni), Oct.–Dec., 220

S

Scavuzzo, R. W., Richards, T. R., and Charek, L. T.: Tire vibration modes and effects on vehicle ride quality, Jan.–Mar., 23
Sensitivity analysis
Reduced basis technique for evaluating sensitivity derivatives of the nonlinear response of the space shuttle orbiter nose-gear tire (Noor, Tanner, and Peters), Oct.–Dec., 232
Shell of revolution
Reduced basis technique for evaluating sensitivity derivatives of the nonlinear response of the space shuttle orbiter nose-gear tire (Noor, Tanner, and Peters), Oct.–Dec., 232
Spinup dynamics
Spinup wear in aircraft tires (Padovan, Padovan, and Kazempour), Jul.–Sep., 138
Spring constant
Deformation analysis of a radial tire loaded on a crossbar (Akasaka, Kagami, and Yamazaki), Jan.–Mar., 40

Strain energy density
Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Successive integration method
Deformation analysis of a radial tire loaded on a crossbar (Akasaka, Kagami, and Yamazaki), Jan.–Mar., 40

T

Tanner, J. A.: *see* Noor, A. K., Tanner, J. A., and Peters, J. M.
Temperature distribution
A thermomechanical model to predict the temperature distribution of steady state rolling tires (Yavari, Tworzydlo, and Bass), Jul.–Sep., 163
Thermal tire wear
Spinup wear in aircraft tires (Padovan, Padovan, and Kazempour), Jul.–Sep., 138
Thermography
Uneven wear of vehicle tires (Walters), Oct.–Dec., 202
Tire
A mathematical model for tire/wheel assembly balance (Ni), Oct.–Dec., 220
A thermomechanical model to predict the temperature distribution of steady state rolling tires (Yavari, Tworzydlo, and Bass), Jul.–Sep., 163
Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Reduced basis technique for evaluating sensitivity derivatives of the nonlinear response of the space shuttle orbiter nose-gear tire (Noor, Tanner, and Peters), Oct.–Dec., 232
Tire vibration modes and effects on vehicle ride quality (Scavuzzo, Richards, and Charek), Jan.–Mar., 23
Uneven wear of vehicle tires (Walters), Oct.–Dec., 202
Viscohyperelastic modeling of rubber vulcanizates (Johnson, Quigley, Young, and Danik), Jul.–Sep., 179
Tire/ground interface
On the incorporation of frictional effects in the tire/ground contact area (Gall, Tkacik, and Andrews), Jan.–Mar., 2
Tire material
Viscohyperelastic modeling of rubber vulcanizates (Johnson, Quigley, Young, and Danik), Jul.–Sep., 179
Tkacik, P.: *see* Gall, R., Tkacik, P., and Andrews, M.
Traction
Normalization of tire force and moment data (Radt and Glemming), Apr.–Jun., 91
Tread curvature
Deformation analysis of a radial tire loaded on a crossbar (Akasaka, Kagami, and Yamazaki), Jan.–Mar., 40
Treadwear
Uneven wear of vehicle tires (Walters), Oct–Dec., 202

Tsujimoto, S.: *see* Weiss, M., Tsujimoto, S., and Yoshinaga, H.
Tworzydlo, W. W.: *see* Yavari, B., Tworzydlo, W. W., and Bass, J. M.

U

Unbalance
A mathematical model for tire/wheel assembly balance (Ni), Oct.–Dec., 220
Uneven wear
Uneven wear of vehicle tires (Walters), Oct.–Dec., 202

V

Vehicle ride
Tire vibration modes and effects on vehicle ride quality (Scavuzzo, Richards, and Charek), Jan.–Mar., 23
Vibration mode
Tire vibration modes and effects on vehicle ride quality (Scavuzzo, Richards, and Charek), Jan.–Mar., 23
Viscoelasticity
Viscohyperelastic modeling of rubber vulcanizates (Johnson, Quigley, Young, and Danik), Jul.–Sep., 179
Viscohyperelasticity
Viscohyperelastic modeling of rubber vulcanizates (Johnson, Quigley, Young, and Danik), Jul.–Sep., 179

W

Walters, M. H.: Uneven wear of vehicle tires, Oct.–Dec., 202
Weight reduction
Belt construction optimization for tire weight reduction using the finite element method (Weiss, Tsujimoto, and Yoshinaga), Apr.–Jun., 120
Weiss, M., Tsujimoto, S., and Yoshinaga, H.: Belt construction optimization for tire weight reduction using the finite element method, Apr.–Jun., 120
Wheel
A mathematical model for tire/wheel assembly balance (Ni), Oct.–Dec., 220

Y

Yamazaki, S.: *see* Akasaka, T., Kagami, S., and Yamazaki, S.
Yavari, B., Tworzydlo, W. W., and Bass, J. M.: A thermomechanical model to predict the temperature distribution of steady state rolling tires, Jul.–Sep., 163
Yoshinaga, H.: *see* Weiss, M., Tsujimoto, S., and Yoshinaga, H.
Young, D. G.: *see* Johnson, A. R., Quigley, C. J., Young, D. G., and Danik, J. A.